

X-RAY TRANSIENTS MONITORED BY THE ALL-SKY MONITOR ON RXTE: A TABULATION

Hale Bradt, Alan Levine, Ronald Remillard, and Donald A. Smith

CSR and Physics Dept., MIT

ABSTRACT We present a tabulation of 46 transient x-ray sources monitored with the All-Sky Monitor (ASM) on the Rossi X-ray Timing Explorer (RXTE). They fall into four broad categories: short (~ 1 d), intermediate, and long (> 500 d) duration of outbursts, and long period binary systems that flare up at periastron (e.g., Be systems). The mixture of outburst/quiescent cycles and low-level persistent emission in a few systems could indicate conditions are near the limit for stable mass flow in the accretion disk. The two short-time-scale systems, CI Cam and V4641 Sgr, are within 1 kpc of the sun, and hence many more such systems may await discovery.

KEYWORDS: X-rays: stars

1. ASM SKY SURVEY

The All-Sky Monitor (ASM; Levine et al. 1996) on RXTE has been monitoring the entire sky for new (uncataloged) transient x-ray sources while also recording the intensities of the known sources. The current catalog contains about 325 source positions of which about 180 have yielded positive detections on some occasion. The monitoring has been reasonably continuous except for times when the sun is relatively close to a source and except for a period of ~ 7 weeks shortly after launch when the detectors were turned off due to a temporary breakdown problem. The detected sources include many well known persistent sources as well as a substantial number of transient sources. Some of these are recurrent and others are in their first known outburst. Most of the latter were discovered in the RXTE era, either with other satellites, *e.g.* CGRO and BSAX, or with RXTE. Some were discovered prior to the launch of RXTE.

Of the 180 positive detections, approximately 150 reached 15 mCrab on at least some occasion and 30 are detected at levels 2 to 15 mCrab in averages over long periods, up to 6 months. For sources with known positions, the detection threshold (3 sigma) away from the galactic center is about 30 mCrab in a single sweep of the ASM cameras across the source. A sweep usually consists of four 90-s integrations or “snapshots” as the cameras step across the source. The one-day threshold (typically 5 – 8 sweeps) can reach down to ~ 10 mCrab.

The data are routinely searched for new (*i.e.*, not in the ASM catalog) sources with a cross-correlation search of the entire FOV. Confidence in the detection of

a new persistent source arises through multiple detections that yield crossed lines of position. In one day, a 50-mCrab source is solidly established. Fainter sources to about 7 mCrab can be retrieved from cross-correlation maps that integrate one week of data. These thresholds apply to positions reasonably removed from bright sources.

The list of detections include about 50 sources we call “transients”. Another 23 objects are extragalactic (14 Sy1 and QSOs, 4 BL Lacs, and 5 clusters). About 40 objects exhibit periodicities in the ASM data from the spin period of X Per (837 s) to the 164-d precession period of SS 433.

2. TRANSIENT DETECTIONS

We have collected a list of the 46 brighter transients monitored with the ASM (Table 1). We further tabulate comments about the sources in Table 2. The criterion for inclusion on this list is that the source be known to have been below Uhuru/HEAO-1 thresholds (few mCrab) for sustained periods and that the source was found in a bright state of at least 25 mCrab, as measured by the ASM. The fainter objects omitted include, for example, some of those detected in the galactic plane scans with the sensitive PCA instrument on RXTE (Valinia, Kinzer, & Marshall 2000) or from observations with the Wide-Field Camera on BeppoSAX (Jager et al. 1997).

The tabulated sources are divided into several groups that depend on the temporal character of their variability:

1. two sources with very short outbursts (hours to a few days),
2. transients of intermediate durations which have are further divided into
 - (a) the thirteen monitored with the ASM in the process of their first known outburst (which may have occurred before the launch of RXTE) and
 - (b) nineteen that are known to be recurrent,
3. six sources with very long outbursts (> 500 d), and finally
4. six periodic systems that typically flare up when the compact object in an elliptical orbit approaches periastron.

The definition of a transient can be rather elusive. For example, the existence of long-duration transients (Table 1C) suggests that there may be no clear boundary between transients and persistent sources. Conversely, the close binary sources X 2129+47 and X 1755–338, long considered to be persistent sources, have disappeared both optically and in X rays (see, *e.g.*, refs in van Paradijs 1995). Neither of these sources have been detected with the ASM to levels of a few mCrab since the Dec. 1995 launch.

3. THE TABULATION

The tabulation describes each transient in terms of the outburst profile shape, the peak flux, the hardness ratio, the first date of outburst, the rise and decay times

and finally the duration. The light curves exhibit much more richness than these few parameters indicate. Sample X-ray light curves for six neutron-star systems are shown in Fig. 1 and for six black hole systems in Fig. 2. Plots on expanded time-scales reveal even more detailed structure than is evident in these figures.

3.1. Description of data in Table 1

Column 1: Source name. Sources are listed in RA order within each category. Satellite prefixes are given for objects discovered in the past two decades, but longer-known objects are designated with the prefix “X”.

Column 2: Type indicates black hole candidate or neutron star system.

Column 3: Outburst profiles are categorized as fast-rise-slow-decay (frsd), symmetric, or irregular.

Column 4: The peak count rate is given in mCrab. Note that 1 Crab is 75 ASM cts/s at 1.5–12 keV.

Column 5: The hardness ratio HR2 is the ratio of counting rate in the 5 – 12 keV band to that in the 3–5 keV band.

Column 6: The start date (MJD) is the date of the first positive detection at the onset of an outburst, or the onset of the first outburst in Table 1D. “pre-XTE” indicates the source was first detected above threshold when RXTE observations began after launch. MJD conversions are:

1996 Jan. 0.0 = MJD 50082.0

1997 Jan. 0.0 = MJD 50448.0

1998 Jan. 0.0 = MJD 50813.0

1999 Jan. 0.0 = MJD 51178.0

2000 Jan. 0.0 = MJD 51543.0

Columns 7, 8, 9: The rise and decay times and the durations are approximately the total time for the full rise, the exponential time constant for the decay, and the total duration above threshold, respectively. Some outbursts are still in progress (IP) at this date (2000 Feb. 28).

3.2. Description of Table 2

The notes give descriptive features of the light curves and hardness ratios that complement the tabulated values and also reference recent cogent results. They are not meant to be complete; refereed publications are favored as are later works as they ease entry into the literature. Results from before the RXTE era may be found in the reviews by van Paradijs (1995) and Bradt & McClintock (1983). References to earlier catalogs may also be found in these works. The references to the table are coded based on the author and source names.

4. HIGHLIGHTS OF THE TABULATION

The nature of a given source is well correlated with the ASM hardness ratio, HR2 as follows: neutron-star low-mass binaries have $HR2 = 1.0$ – 1.5 , pulsars (neutron-

star high-mass binaries) have $HR2 = 2-4$, and black-hole candidates exhibit large temporal variations of $HR2$ from extremely soft to higher values (0.3–1.5).

The outburst profiles exhibit several types of wave forms as indicated in the table. Similarities exist from source to source and from outburst to outburst in one source. However, there are substantial differences also. In general, the profiles should shed light on the disk accretion instabilities that give rise to the episodes of high accretion luminosity.

One notable effect is the presence of long (~ 1 year) marginally-on states after a major outburst, e.g. in 1630–47 and 1608–522, and “failed” outbursts in Aql X–1. These states may indicate that the conditions for outburst are marginal. In fact, Aql X–1 lies on the thermal-viscous disk-instability boundary (van Paradijs 1996).

The range of detected outburst durations is extremely wide as noted above. The listed intermediate outbursts range from about ~ 10 to ~ 200 days. The two fast x-ray novae (CI Cam and V4641 Sgr) were only recently discovered. These two objects are both quite close to the sun, at distances inferred from 21 cm absorption profiles of 1.0 and 0.5 kpc respectively. It is thus possible that infrequent such outbursts from other sources could have been missed because of the intermittency of coverage or limited solid angles of past and present x-ray monitoring missions. The long-duration transients are by definition “quasi-persistent”. These too may help reveal the factors that lead to instability.

5. FUTURE WORK

The ASM instrument continues to operate with most of its initial capability, so another 1–3 years or more of useful data are expected. The archival ASM data have recently been reprocessed with improved *a posteriori* calibrations, increased temporal coverage, and improved analysis algorithms. With these we may retrieve additional transients. The final data base should be useful for the determination of rates of transients, the nature of accretion processes, and possibly may reveal new distinctions between neutron stars and black holes.

ACKNOWLEDGEMENTS

We are grateful to the RXTE teams at MIT, GSFC, and UCSD.

REFERENCES

- Bradt, H. & McClintock, J. 1983, ARA&A 21, 63
- Jager, R., et al. 1997, A&AS, 125, 557
- Levine, A., Bradt, H., Cui, W., Jernigan, J. G., Morgan, E., Remillard, R., Shirey, R., & Smith, D. A. 1996, ApJL, 469, L33
- Valinia, A., Kinzer, R., & Marshall, F. E. 2000, ApJ 534, in press.; also ApJ, 505, 13
- van Paradijs, J. 1995, in *X-ray Binaries*, eds. W. H. G. Lewin, J. van Paradijs & E. P. J van den Heuvel (Cambridge: Cambridge Univ. Press), 536
- van Paradijs, J. 1996, ApJL, 464, L1

Table 1. RXTE ASM: Transients above 25 mCrab

Source Name	type	profile	peak mCrab	ASM HR2	start date	Rise days	Decay days	Duration days
A. Fast X-ray Novae: Decay $\tau < 1$ day								
XTE J0421+560	bhc?	frsd	1885	0.8–2.2	50903	0.3	0.5	7.7
SAX J1819.3–2525	bhc	irr	12200	0.8–2.1	51436	0.2	0.01	0.6
B. Intermediate-Duration X-ray Transients (Nonperiodic)								
<i>Recent Initial Outbursts</i>								
XTE J0111–733	ns	irr?	50	3.2	51119	–	–	53
XTE J1550–564	bhc	frsd	6800	0.3–1.6	51062	4.2	11	246
XTE J1723–376	ns	irr?	100	1.5	51108	–	–	182
GRS 1737–310	bhc?	frsd?	26	1.8	50497	–	–	46
GRS 1739–278	bhc	frsd	805	0.6	pre XTE	12	9	> 400
XTE J1739–285	??	frsd?	193	1.4	51471	6	22	~50
XTE J1748–288	bhc	frsd	485	1.4	50966	1.4	15	63
SAX J1750.8–2900	ns	frsd	117	1.3	50515	<1	9	28
XTE J1755–324	bhc	frsd	188	0.3	50653	3	30	104
XTE J1858+034	ns	sym	26	3.2	50842	–	–	28
XTE J1859+226	bhc	frsd	1045	0.4–1.4	51460	10	29	IP
XTE J2012+381	bhc	frsd	209	0.3	50956	3.5	32	182
XTE J2123–058	ns	frsd	84	1.2	50987	<1	31	52
<i>Known Recurrent Transients</i>								
EXO 0748–676	ns	frsd	>50	0.9	pre XTE	–	40	–
X 1246–588	ns?	sym?	35	1.0	51271	–	–	IP
X 1354–644	bhc	sym	52	1.3	50744	70	40	>85
X 1608–522	ns	frsd	??	1.1	pre XTE	–	15	–
”		frsd	911	1.1	50842	> 8	13	IP
X 1630–472	bhc	irr	336	1.1	50153	17	16	150
”		frsd	416	1.6	50846	60	15	122
”		irr	215	1.2	51295	60	17	98
GRO J1655–40	bh	irr	3138	0.6	50198	15	140	484
X 1658–298	ns	frsd	45	0.9	51265	70	50	82

Continued Next Page.

Table 1. (continued) RXTE ASM: Transients above 25 mCrab

Source Name	type	profile	peak mCrab	ASM HR2	start date	Rise days	Decay days	Duration days
<i>Known Recurrent Transients (cont.)</i>								
X 1704+241	ns?	sym	33	1.3	50707	110	35	160
RX J1709.5–266	ns	frsd	210	0.9	50448	< 50	50	86
X 1711–339	ns?	sym	50	1.2	51016	10	20	280
X 1730–333	ns	frsd	377	1.5	mult.	–	–	25
GRO J1744–28	ns	frsd	1291	2.5	pre XTE	–	65	>120
”	ns	frsd	1291	2.5	50433	40–60	40	>120
X 1803–245	ns?	frsd	740	1.2	50904	20	25	75
SAX J1808.4–3658	ns	frsd	108	0.9	50333	8	8	19
”		frsd	79	1.1	50911	4	12	21
GS 1843+009	ns	frsd	30	2.5	50480	30	50	104
XTE J1856+053	bhc	sym	75	0.4	50189	20	10	27
”		frsd	79	0.4	50328	20	40	70
X 1908+005	ns	sym	515	1.0	mult.	–	–	78
” (failed)		sym	40	0.9	50232	–	–	~60
GS 2138+568	ns	sym	45	2.0	50630	12	10	27
SAX J2103.5+4545	ns	sym	25	–	50487	75	30	135
”		sym	25	–	51471	12	12?	IP
C. Long Duration Transients (Duration > 500 d)								
X 1210–64	ns?	qp	30	1.2	pre XTE	–	–	> 675
KS J1716–389	??	qp	50	1.6	pre XTE	–	–	> 1500
KS 1731–260	ns	qp	356	1.1	pre XTE	–	–	> 1500
GRS 1758–258	bhc	qp	54	1.6	pre XTE	–	–	> 1500
GS 1826–238	ns	qp	35	1.2	pre XTE	–	–	> 1500
GRS 1915+105	bhc	wild	2497	1.3	pre XTE	–	–	> 1500
D. Periodic, Hard Transients								
X 0115+634	ns	sym	400	3.2	pre XTE	–	–	21
RX J0812.4–3114	ns	sym	25	2.0	50926	–	–	20
X 1145–619	ns	sym	93	1.9	50166	–	–	30
X 1845–024	ns	sym	25	2.5	50345	–	–	30
X J1946+274	ns	mult	80	2.6	51055	–	–	85
EXO 2030+375	ns	mult	25	1.6	pre XTE	–	–	20

Table 2. Notes and References for ASM Transients

A. Fast X-ray Novae: Decay $\tau < 1$ day

XTE J0421+560 (CI Cam, radio jets)

X-ray outburst (Smi99)	Radio jets (Hje99)
Rapid rise (few hours) and decay time scale 0.5 d to 2.3 d (Bel99)	Optical outburst: (Wag99, Bar98)
X-ray properties, unusual spectrum (Ued98, Fro98, Orr98, Rev99)	Opt spectrum (Dow84)
Distance 1.0 kpc (Orl00)	IR spectrum, dense circumstellar wind (Cla99)

SAX J1819.3–2525 (V4641 Sgr, radio jets)

Discovery: Feb 99, (Int99), Sept. 99 (Smi99)	Radio jets (Hje99)
Five brief X-ray outbursts in 6 days in Sept. 99 (Smi99, Wij99, McC99)	Distance 0.5 kpc (Hje99)
Rapid 1-s variability (Wij99)	Opt counterpart (Gor90, Gre99)
	Optical outburst (Stu99, Gar99)

B. Intermediate-Duration Transients (Nonperiodic)

Recent Initial Outbursts

XTE J0111–733 (31-s pulsar in SMC)

Pulsations (Cha98)	Optical counterpart (Isr99)
Hard X-ray profile and spinup (Wil98)	

XTE J1550–564 (bright bhc transient)

Acquired early in its rise (Smi98)	Optical counterpart K star at 2.5 kpc (Jai99, San99)
Reached 6.8 Crab brightness in brief flare (Rut98)	Hard lags in X-ray QPO and broad band var. (Cui00)
Detected to 200 keV with BATSE (Wil98)	Likely radio counterpart (Cam98)
Evolution of spectra (Sob99)	
QPO 0.05 — 285 Hz (Cui99, Rem99, Hom99)	

XTE J1723–376

X-ray outburst w. 816 Hz osc. (Mar99a)	X-ray position and Type I bursts (Mar99b)
--	---

GRS 1737–310

Weak X-ray outburst: (Tru99, Mar97)	BSAX intensity and position (Hei97)
Similarity to Cyg X–1 spectrum (Cui97)	Spectrum and distance of 8500 pc (Ued97)

GRS 1739–278 (radio emitter)

Multiple X-ray sub-peaks (Asm00)	Candidate optical/IR object at radio position (Mar97)
X-ray outburst; black-hole candidate (Var97)	X-ray spectra variations (Bor98)
Radio emission (Hje96)	5-Hz QPO (Bor00)

XTE J1739–285

X-ray outburst (Mar99)	
------------------------	--

XTE J1748–288 (radio jets, shock in ISM)

Single outburst w. 2-d rise (Smi98)	Spectral and QPO evolution (Rev99)
Detected to 100 keV (Har98)	Transient radio with jet that shocked in ISM (Hje98, Fen98)
QPO at 0.5 and 32 Hz (Fox98)	

SAX J1750.8–29

Bursting transient (Nat99)	
----------------------------	--

Table 2. (continued) Notes and References for ASM Transients

XTE J1755–324 (extremely soft spectrum)	
Steep soft spectrum with hard component, (Rem97)	Hard X-ray flux (Gol99)
Temporal/spectral evol. similar to Nova Muscae 1991 (Rev98)	
XTE J1858+034 (221-s pulsar)	
X-ray outburst, hard spectrum (Rem98)	QPO at 0.11 Hz (Pau98)
221-s pulsar (Tak98)	Celestial position (Mar98)
XTE J1859+226 (radio source)	
X-ray outburst (Woo99)	Optical counterpart R = 15.1 (Gar99)
Oscillations from 0.5 Hz to 5.5 Hz (Mar99, Dal99)	Opt IR consistent w. short period soft transients (Hyn99)
Detected to 200 keV w. variable cutoff (McC99, Dal99, Foc99)	Possible optical orbital modulation 0.28 d (Uem99)
Radio outburst (Poo99)	
XTE J2012+381 (radio source)	
X-ray outburst (Rem98)	Radio counterpart (Hje98, Poo98)
Hard initial spike and later becomes very soft, bhc (Asm00)	Optical counterpart (tentative) V = 21.3 (Hyn99)
Ultra soft comp. w. hard tail in ASCA, bhc (Whi98)	
XTE J2123–058 (high-lat. LMXB)	
High galactic latitude –36.2 (Lev98)	Optical outbursts (Gne99)
Atoll LMXB, bursts, twin kHz (Hom99, Tom99)	Precursor activity may be solar contamination (Asm00)
Optical counterpart w. 6-h orbit (Tom99, Sor99)	
<i>Known Recurrent Transients</i>	
EXO 0748–676 (eclipsing LMXB)	
Soft x-ray excess (Bri97)	Quiescent properties (Gar99)
Eclipse Timings (Her97)	QPO 0.6 – 2.4 Hz (Hom99)
Progressive covering of disk corona (Chu98)	
X 1246–588	
Probable X-ray Burster (Pir97)	Probable ROSAT source 1RXS J124938.0–590525 (Bol97)
X 1354–644 (LMXB, BW Cir)	
Modest outburst (Rem97)	Ginga detection (Kit90)
Detected to 200 keV (Har97)	Low/hard state; rapid var. (Rev00)
X 1608–522 (bright recurrent LMXB)	
Sustained one-year low states after each outburst (Asm00)	KHz QPO peak separation not constant (Men99b)
KHz QPO (Men98)	Island state kHz QPO (Yu97)
KHz QPO freq. dependence on position in color diagram (Men99a)	Outburst with hard spectrum (Zha96)
Quiescent luminosity (Asa96) possibly thermal (Rut99)	

Table 2. (continued) Notes and References for ASM Transients

X 1630–472 (bright recurrent bh, 184 Hz, radio source)	
Three outbursts w. intervals of 700 d and 450 d (Asm00)	Historical outbursts behavior (Kuu97)
Double-peaked and flat-topped profiles (Asm00)	Absorption dips (Kuu98)
Sustained (1 year) low state after 2nd outburst (Asm00)	Evolution of spectral components (Oos98)
	QPOs 0.06 – 14 Hz (Die00)
	QPO 184 Hz (Rem99)
	Radio and Hard X-rays (Hje99)
GRO J1655–40 (rel. radio jets; 300 Hz QPO)	
Black hole, radio jets, “microquasar” (Tin95)	Low freq. QPOs; 300 Hz when source hard (Rem99)
Mass 6 – 7 $M_{\odot}$ (Oro97a, Sha99)	Spectral evolution (Men98, Tom99, Sob99)
Optical turn-on precedes X-ray by 5 d (Oro97b)	Echo mapping (X-ray to optical) (Hyn98)
X 1658–298 (X-ray burster)	
Recovery by BSAX and X-ray burst (Hei99)	
X 1704+241 (HD 154791)	
Peculiarities in M Giant spectrum (Gau99)	
RX J17095–26	
Hard X-ray outburst (Mar97)	X-ray bursts (Coc98)
Possible radio counterpart (Hje97)	
X 1711–339	
Recovered Ariel-5 and SAS-3 source (Rem98)	
X 1730–333 (Rapid Burster)	
Seven outbursts w. intervals 210 d (Asm00)	followed by Type II accretion bursts
Outbursts last 5 weeks w. two phases:	(Gue99)
Type I thermonuclear bursts	
GRO J1744–28 (bursting pulsar)	
Hard X-ray pulsations 0.47 s (Fin96)	Propeller effect (Cui97)
Pulsar phase changes associated with bursts (Kos98 and refs therein)	HEXE/Mir-Kvant observations (Bor97)
QPOs (Zha96, Kom97)	Hard X-ray bursts with Konus and Mir- Kvant (Apt98, Ale98)
Super-Eddington fluxes imply beaming (Gil96)	X-ray properties from BATSE and ASCA (Woo99, Nis99)
Possible near IR counterpart (Aug97)	
X 1803–245 (XTE J1806–246)	
X-ray outburst (Mar98)	Possible burst source (Mul98)
QPOs (Rev99, Wij99)	
SAX J1808.4–36 (401-Hz accreting pulsar)	
X-ray outburst (Int98)	Broad-band power spectrum (Wij98b)
401-Hz pulsations and 2-h orbit (Wij98a, Cha98)	Optical counterpart (Roc98)
Soft phase lags (Cui98, Vau98)	Transient radio emission (Gae99)
X-ray spectrum (Gil98, Hei98)	Renewed activity Feb. 00 (vdK00, Wac00)

Table 2. (continued) Notes and References for ASM Transients

GS 1843+009 (30-s pulsar)	
100-d flare followed by weak activity (Asm00)	X-ray recovery, 30-s pulse period, and spectrum (Wil97, Tak97)
XTE J1856+053 (bhc)	
X-ray outburst (Mar96)	Hard X-ray flux (Bar96)
Soft spectrum (Asm00)	
X 1908+005 (Aql X-1; bright recurrent transient)	
Five strong and two failed outbursts (Asm00)	Low-energy phase lags (For99)
Optical counterpart clarified: V = 21.6, late K (Che99)	Propeller effect (Cam98)
KHz oscillations change freq after burst (Yu99)	Outside-in outburst (opt-IR-X-ray) (Sha98)
	At thermal-viscous instability boundary (vaP96)
GS 2138+568 (Cep X-4(?), 66-s pulsar)	
Be star optical counterpart: (Bon98)	X-ray pulse profile changes (Muk00)
Spindown rate (Wil99)	
SAX J2103.5+4545 (359-s pulsar)	
Faint transient, 359-s pulsar (Hul98)	Second outburst (Bay00)
C. Long Duration Transients (Duration > 500 d)	
X 1210-64 (quasi-persistent)	
On until 50763 (Asm00)	Uhuru and OSO-7 source
KS J1716-389 (100-d dipper)	
Galactic center source (Ale95)	Periodicity ~ 100 d (Wen99)
On until MJD 50763 (Asm00)	
Quasi persistent source with periodic dips (Rem99)	
KS 1731-260 (524 Hz during bursts)	
KHz QPO at 524 Hz during burst (Smi97)	ROSAT observations, celestial position,
Two KHz QPO at 898 and 1159 Hz (Wij97)	persistent source? (Bar98)
GRS 1758-258 (bright hard galactic center source)	
Radio jets, x-ray spectral var. and similarity to 1E 1740.7-2942 (Smi97)	Optical candidates (Mar98)
ASCA spectrum, soft excess (Mer97)	Long-term monitoring (Mai99, Kuz99)
GS 1826-238 (burster)	
Bursts at reg. intervals (Ube97)	Possibly steady accretor since 1988 (Ube97,
Spectrum and distance from bursts (Int99)	Int99)
GRS 1915+105 (microquasar)	
Superluminal jets (Mir94, Fen99)	Disk emptying episodes (Bel97, Poo97,
Ten distinct accretion states, some oscillatory (Gre97, Mun99)	Fer99)
Variable low freq. QPOs and persistent 67 Hz when spectrum hard (Mor97)	Hard phase lags for 67 Hz QPO (Cui99)
Coincident X-ray, IR and radio outbursts (Poo97, Eik98, Mir98)	Interplay between QPOs and spectral components (Mun99, Mar99, Fer99)

Table 2. (continued) Notes and References for ASM Transients

D. Periodic, Hard Transients
X 0115+634 (P = 24-d, 3.61 s)

~ 8 maxima detected through 2/00 (Asm00)
Major outburst Feb. 99 (Asm00)
Mini outbursts May – July 96 at multiples of

24-d orbital period (Asm00)
Four cyclotron lines, (Hei99, San99)
Optical counterpart reclassified (Ung99)

RX J08124–3114 (P = 81.4 d, 32 s)

~ 7 maxima detected through 2/00 (Asm00)
Optical counterpart is Be star LS992
(Mot97)

Orbital period 80 d (Cor00)
X-ray pulsar 31.9 s (Rei99)

X 1145–619 (P = 189 d, 292 s)

~ 4 maxima detected through 2/00 (Asm00)
Outburst (Cor96)

Multiwavelength observations, 13-yr review
(Ste97)

X 1845–024 (P = 242 d, 95 s)

(= GRO J1849–03 = GS1843–02)
~5 maxima detected through 2/00
(Asm00)

BATSE outbursts w. 242-d period (Fin99)
GRO source identified as
Ariel-5/SAS-3/Ginga source (Sof98, Fin99)

X J1946+274 (= 3A 1942+274; P = 80 d, 16-s)

~ 7 maxima detected through 2/00 (Asm00)
First detections since 1976 (Asm00)

Pulsar, P = 16 s, (Smi98)
Orbital period 80 d, (Cam99)

EXO 2030+375 (P = 46 d, 42 s)

~ 30 maxima detected through 2/00 (Asm00)
Pulse period dependence on luminosity
(Rey96)
Timing properties (Rei98a)
Long-term variability and IR spectroscopy
(Rei98b)

Thirteen outbursts at 46-d intervals, orbit
from pulse phases (Sto99)
Spectra at low luminosities (Rei99)

REFERENCES FOR TABLE 2

- Ale95_1716: Aleksandrovich, N. L., Aref'ev, V. A., Borozdin, K. N., Sunyaev, R. A., & Skinner, G. K. 1998, *Astron. Letters*, 21, 431
Ale98_1744: Aleksandrovich, N. L., Borozdin, K. N., Aref'ev, V. A., Sunyaev, R. A., & Skinner, G. K. 1998, *Astron. Letters*, 24, 7
Apt98_1744: Aptekar', R. L., et al. 1998, *ApJ*, 493, 404
Asa96_1608 Asai, K., Dotani, T., Mitsuda, K., Hoshi, R., Vaughan, B., Tanaka, Y., & Inoue, H. 1996, *PASJ*, 48, 257
Asm00_xxxx: The ASM Teams at MIT and GSFC, public data.
Aug97_1744: Augusteijn, T., et al. 1997, *ApJ*, 486, 1013
Bar96_1856: Barret, D., et al. 1996, *IAUC* 6519
Bar98_1731: Barret, D., Motch, C., & Predehl, P. 1998, *A&A*, 329, 965
Bar98_0421: Barsukova, E.A., et al. 1998, *Bull. Spec. Astrophys. Obs.*, 45, 14 (*astro-ph/9905338*)
Bay00_2103: Baykal, A., Stark, M., Swank, J. H. 2000, *IAUC* 7355
Bel97_1915: Belloni, T., Mendez, M., King, A. R., van der Klis, M., & van Paradijs, J. 1997, *ApJL*, 488, L109
Bel99_0421: Belloni, T., et al. 1999, *ApJ*, 527, 345
Bol97_1246: Boller, T., Haberl, F., Voges, W., Piro, L., & Heise, J. 1997, *IAUC* 6546
Bon98_2138: Bonnet-Bidaud, J. M., & Mouchet, M. 1998, *A&A*, 332, L9
-

Table 2. (continued) Notes and References for ASM Transients

Bor97_1744: Borkus, V. V., et al. 1997, <i>Astron. Letters</i> , 23, 421	Die00_1630: Dieters et al. 2000, <i>ApJ</i> , in press (astro-ph 991202)
Bor98_1739–278: Borozdin, K. N., Revnivtsev, M. G., Trudolyubov, S. P., Aleksandrovich, N. L., Sunyaev, R. A., & Skinner, G. K. 1998, <i>Astron. Letters</i> , 24, 435	Dow84_0421: Downes, R. 1984, <i>PASP</i> , 96, 80
Bor00_1739–278: Borozdin, K. N. & Trudolyubov, S. P. 2000, <i>ApJL</i> (submitted), astro-ph/9911290	Eik98_1915: Eikenberry, S.S., Matthews, K., Morgan, E. H., Remillard, R. A., & Nelson, R. W. 1998, <i>ApJL</i> , 494, L61
Bri97_0748: Brian, T., Corbet, R., Smale, A., Asai, K., & Dotani, T. 1997, <i>ApJL</i> , 480, L21	Fen98_1748: Fender, R. P., & Stappers, B. W. 1998, <i>IAUC</i> 6937
Cam98_1550: Campbell-Wilson, D., et al. 1998 <i>IAUC</i> 7010	Fen99_1915: Fender, R. P., et al. 1999, <i>MNRAS</i> , 304, 865
Cam98_1908: Campana, S., et al. 1998, <i>ApJL</i> , 499, L65	Fer99_1915: Feroci, M., Matt, G., Pooley, G., Costa, E., Tavani, M., & Belloni, T. 1999, <i>A&A</i> , 351, 985
Cam99_1946: Campana, S. Israel, G., & Stella, L. 1999, <i>A&A</i> , 352, L91	Fin96_1744: Finger, M. H., Koh, d. T., Nelson, R. W., Prince, T. A., Vaughan, B. A., & Wilson, R. B. 1996, <i>Nature</i> , 381, 291
Cha98_0111: Chakrabarty, D., Levine, A. M., Clark, G. W., & Takeshima, T. 1998, <i>IAUC</i> 7048	Fin99_1845: Finger, M. H., et al. 1999, <i>ApJ</i> , 517, 449
Cha98_1808: Chakrabarty, D., & Morgan, E. H. 1998, <i>Nature</i> 394, 346	Foc99_1859+226: Focke, W. B., Markwardt, C. B., Swank, J. H., & Taam, R. E. 1999, <i>BAAS</i> , 31, 1555
Cla99_0421: Clark, J. S., Steele, I. A., Fender, R. P., Coe, M. J. 1999, <i>A&A</i> , 348, 888	For99_1908: Ford, E. C. 1999, <i>ApJL</i> , 519, L73
Che99_1908: Chevalier, C., Ilovaisky, S. Leisy, P., & Patat, F. 1999, <i>A&A</i> , 347, L51	Fox98_1748: Fox, D., & Lewin, W. 1998, <i>IAUC</i> 6964
Chu98_0748: Church, M. J., Balucinska-Church, M., Dotani, T., & Asai, K. 1998, <i>ApJ</i> , 504, 516	Fro98_0421: Frontera, F., et al. 1998 <i>A&A</i> , 339, L69
Coc98_1709: Cocchi, M., et al., <i>ApJL</i> , 508, L163	Gae99_1808: Gaensler, B. M., Stappers, B. W., & Getts, T. J. 1999, <i>ApJL</i> , 522, L117
Cor96_1145–619: Corbet, R., & Remillard, R. 1996, <i>IAUC</i> 6486	Gar99_0748: Garcia, M. R., & Callanan, P. J. 1999, <i>AJ</i> , 118, 1390
Cor00_0812: Corbet, R., & Peele, A. G. 2000, <i>ApJL</i> , 530, L33	Gar99_1819: Garcia, M.R., & McClintock, J.E. 1999, <i>IAUC</i> 7271
Cui97_1737: Cui, Wei., Heindl, W. A., Swank, J. H., Smith, D. M., Morgan, E. H., Remillard, R., & Marshall, F. E. 1997, <i>ApJL</i> , 487, L73	Gar99_1859+226: Garnavich, P. M., Stanek, K. Z., & Berlind, P. 1999, <i>IAUC</i> 7276
Cui97_1744: Cui, W. 1997, <i>ApJL</i> , 482, L163	Gau99_1704: Gaudenzi, S., & Polcari, V. F. 1999, <i>A&A</i> , 347, 4
Cui98_1808: Cui, W., Morgan, E. H., & Titarchuk, L. G. 1998, <i>ApJL</i> , 504, L27	Gol99_1755: Goldoni, P., et al. 1999, <i>ApJ</i> , 511, 847
Cui99_1550: Cui, E., Zhang, S. N., Chen, W., & Morgan, E. H. 1999, <i>ApJL</i> , 512, L43	Gor90_1819: Goranskij 1990, <i>IBVS</i> 346
Cui99_1915: Cui, W. 1999, <i>ApJL</i> , 524, L59	Gil96_1744: Giles, A. B., Swank, J. H., Jahoda, K., Zhang, W., Strohmayer, T., Stark, M. J., & Morgan, E. H. 1996, <i>ApJL</i> , 469, L25
Cui00_1550: Cui, W., Zhang, & S. N., Chen, W. 2000, <i>ApJL</i> , 531, L45	Gil98_1808: Gilfanov, M., Revnivtsev, M., Sunyaev, R., & Churazov, E. 1998, <i>A&A</i> , 338, L83
Dal99_1859+226: Dal Fiume, D., et al. 1999, <i>IAUC</i> 7291	Gne99_2123: Gneiding, C. D., Steiner, J. E., & Cieslinski, D. 1999, <i>A&A</i> , 352, 543

Table 2. (continued) Notes and References for ASM Transients

Gre97_1915: Greiner, J., Morgan, E. H., & Remillard, R. A. 1997, ApJL, 473, L79	Hyn99_1859+226: Hynes, R. I., Haswell, A. J., & Chaty, S. 1999, IAUC 7294
Gre99_1819: Green, D.W.E. 1999, IAUC 7277	Hyn99_2012: Hynes, R. I., Roche, P., Charles, P. A., & Coe, M. J. 1999, MNRAS, 305, L49
Gue99_1730: Guerriero, R., et al. 1999, MNRAS, 307, 179	Int98_1808: In 't Zand, J. J. M., Heise, J., Muller, J. M., Bazzano, A., Cocchi, M., Natalucci, L., Ubertini, P. 1998, A&A, 331, L25
Har97_1354: Harmon, B. A., & Robinson, C. R. 1997, IAUC 6774	Int99_1819 In't Zand, J., et al. 1999, IAUC 7119
Har98_1748: Harmon, B. A., McCollough, M. L., Wilson, C. AS., Zhang, S. N., & Paciesas, W. S. 1998, IAUC 6933	Int99_1826: In 't Zand, J. J. M., Heise, J., Kuulkers, E., Bazzano, A., Cocchi, M., Ubertini, P. 1999, A&A, 347, 891
Hei97_1737: Heise, J. IAUC 6606	Isr99_0111: Israel, G. L., Stella, L., & Mereghetti, S. 1999, IAUC 7101
Hei98_1808: Heindl, W. A., & Smith, D. M. 1998, ApJL, 506, L35	Jai99_1550: Jain, R. K., Bailyn, C. D., Orosz, J. A., Remillard, R. A., & McClintock, J. E. 1999, ApJL, 517, L131
Hei99_0115: Heindl, W. A., et al. 1999, ApJL, 521, L49	Kit90_1354: Kitamoto, S., et al. 1990, ApJ, 361, 590
Hei99_1658: Heise, J., et al. 1999, IAUC 7263	Kom97_1744: Kommers, J. M., Fox, D. W., Lewin, W. H. G., Rutledge, R. E., van Paradijs, J., & Kouveliotou, C. 1997, ApJL, 482, L53
Her97_0748: Hertz, P., Wood, K., & Cominsky, L. 1997, ApJ, 486, 1000	Kos98_1744: Koshut et al. 1998, ApJL, 496, L101
Hje96_1739-278: Hjellming, R. M., Rupen, M. P., Marti, J., Mirabel, F., & Rodriguez, L. F. IAUC 6383	Kuu97_1630: Kuulkers, E., Parmar, A. N., Kitamoto, S., Cominsky, L. R., & Sood, R. K. 1997, MNRAS, 291, 81
Hje97_1709: Hjellming, R. M., & Rupen, M. P. 1997, IAUC 6547	Kuu98_1630: Kuulkers, E., Wijnands, R., Belloni, T., Mendez, M., van der Klis, M., & van Paradijs, J. 1998, ApJ, 494, 753
Hje98_1748: Hjellming, R. M., et al. 1998, Paper in preparation; see Abstract #103.08, AAS Mtg #193	Kuz99_1758: Kuznetsov, S. I. et al. 1999, Astron. Letters, 25, 351
Hje98_2012: Hjellming, R. M., & Rupen, M. P. 1998, IAUC 6924; see also IAUC. 6932	Lev98_2123 Levine, A., Swank, J., & Smith, D.A. 1998, IAUC 6955
Hje99_0421: Hjellming, R.M., & Mioduszewski, A.J. 1999, IAUC 6862	Mai99_1758: Main, D. S., Smith, D. M., Heindl, W. A., Swank, J., Leventhal, M., Mirabel, I. F., & Rodriguez, L. F. 1999, ApJ, 525, 901
Hje99_1608: Hjellming, R. M., et al. 1999, ApJ, 514, 383	Mar96_1856: Marshall, F. E., Ebisawa, K., Remillard, R., & Valinia, A. 1996, IAUC 6504
Hje99_1819: Hjellming, R.M., et al. 1999, IAUC 7265; see also 2000, BAAS, Meeting 195, late papers	Mar97_1709 Marshall, F. E., Swank, J. H., Thomas, B., Angelini, L., Valinia, A., & Ebisawa, K. 1997, IAUC 6543
Hom99_0748: Homan, J., Jonker, P. G., Wijnands, R., van der Klis, M., & van Paradijs, J. 1999, ApJL, 516, L91	Mar97_1737: Marshall, F. E., & Smith, D. M. 1997, IAUC 6603
Hom99_1550: Homan, J., Wijnands, R., & van der Klis 1999, IAUC 7121	Mar97_1739-278: Marti, J., Mirabel, I. F., Duc, P.-A., Rodriguez, L. F. 1997 A&A, 323, 158
Hom99_2123: Homan, J., Mendez, M., Wijnands, R., van der Klis, M., & van Paradijs, J. 1999, ApJL, 513, L119	
Hul98_2103: Hulleman, F., In't Zand, J. J. M., & Heise, J. 1998, A&A, 337, L25	
Hyn98_1655: Hynes, R. I., O'Brien, K., Horne, K., Chen, W., & Haswell, C. A. 1998, MNRAS, 299, L37	

Table 2. (continued) Notes and References for ASM Transients

Mar98_1803: Marshall, F. E., Strohmayer, T., & Remillard, R. 1998, IAUC 6891	Mul98_1803: Muller, J. M., et al. 1998, IAUC 6867
Mar98_1858: Marshall, F. E. & Chakrabarty, D., A&A, 337, 815	Mun99_1915: Muno, M., Morgan, E., & Remillard, R. 1999, ApJ, 527, 321
Mar98_1758: Marti, J., Mereghetti, S., Chaty, S., Mirabel, I. F., Goldoni, P., & Rodriguez, L. F. 1998, A&A, 338, L95	Nat99_1750: Natalucci, L., Cornelisse, R., Bazzano, A., Cocchi, M., Ubertini, P., Heise, J., In't Zand, J. J. M., & Kuulkers, E. 1999, ApJL, 523, L45
Mar99a_1723: Marshall, F. E., & Markwardt, C. B. 1999, IAU Circ., 7103	Nis99_1744: Nishiuchi, M., et al. 1999, ApJ, 517, 436
Mar99b_1723: Marshall, F.E., Ueda, Y. & Markwardt, C. B. 1999, IAUC 7133	Oos98_1630: Oosterbroek et al. 1998, A&A, 340, 431
Mar99_1739-285: Markwardt, C. B., Marshall, F. E., Swank, J. H., & Cui, W. 1999, IAUC 7300	Orl00_0421: Orlandini, M., et al. 2000, A&A (in press, astro-ph 0001530)
Mar99_1859+226: Markwardt, C. B., Focke, W. B., Swank, J. H., & Taam, R. E. 1999, BAAS, 31, 1555	Oro97a_1655: Orosz, J. A., & Bailyn, C. D. 1997, ApJ, 477, 876
Mar99_1915: Markwardt, C. B., Swank, J. H., & Taam, R. E. 1999, ApJL, 513, L37	Oro 97b_1655: Orosz, J. A., Remillard, R. A., Bailyn, C. D., & McClintock, J. E. 1997, ApJL, 478, L83
McC99_1819: McCollough, M. L., Finger, M. H., & Woods, P. M. 1999, IAUC 7257	Orr98_0421: Orr, A., et al. 1998, A&A, 340, L190
McC99_1859+226: McCollough, M. L., & Wilson, C. A. 1999 IAUC 7282	Pau98_1858: Paul, B., & Rao, A. R. 1998, A&A, 337, 815
Men98_1655: Mendez, M., Belloni, T., & van der Klis, M. 1998, ApJL, 499, L187	Pir97_1246: Piro, L., et al. 1997, IAUC 6538
Men98_1608: Mendez, M., et al. 1998, ApJ, 494, L65	Poo97_1915: Pooley, G. G., & Fender, R. P. 1997, MNRAS, 292, 925
Men99a_1608 Mendez, M., van der Klis, M., Ford, E. C., Wijnands, R., & van Paradijs, J. 1999 ApJL, 511, L49	Poo98_2012: Pooley, G. G. 1998, IAUC 6926
Men99b_1608: Mendez, M., van der klis, M., Wijnands, R., Ford, E.C., van Paradijs, J., & Vaughan, B.A. 1998, ApJ, 505, L23	Poo99_1859+226: Pooley, G. G., & Hjellming, R. M. 1999, IAUC 7278
Mer97_1758: Mereghetti, S., Cremonesi, D. I., Haardt, F., Murakami, T., Belloni, T., & Goldwurm, A. 1997, ApJ, 476, 829	Rei98a_2030: Reig, P., & Coe, M. J. 1998, MNRAS, 294, 118
Mir94_1915: Mirabel, I. F., & Rodriguez, L. F. 1994, Nature, 371, 46	Rei98b_2030: Reig, P., Stevens, J. B., & Fabregat, J. 1998, MNRAS, 301, 42
Mir98_1915: Mirabel, I. F., et al. 1998, A&A, 330, L9	Rei99_0812: Reig, P., & Roche, P. 1999, MNRAS, 306, 95
Mor97_1915: Morgan, E. H., Remillard, R., & Greiner, J. 1997, ApJL, 482, L155	Rei99_2030: Reig, P., & Coe, M. 1999, MNRAS, 302, 700
Mot97_0812: Motch, C., Haberl, F., Dennerl, K., Pakull, M., & Janot-Pacheco, E. 1997, A&A, 323, 853	Rem97_1354: Remillard, R., Marshall, F., & Takeshima, T. 1997, IAUC 6772
Muk00_2138: Mukerjee, K., Agrawal, P. C., Paul, B., Rao, A. R., Seetha, S., Kasturirangan, K. 2000, A&A, 353, 239	Rem97_1755: Remillard, R., Levine, A., Swank, J., & Strohmayer, T. 1997, IAUC 6710
	Rem98_1711: Remillard, R. 1998, IAUC 6893
	Rem98_1858: Remillard, R., & Levine, A. 1998 IAUC 6826
	Rem98_2012: Remillard, R., Levine, A., & Wood, A. 1998, IAUC 6920

Table 2. (continued) Notes and References for ASM Transients

-
- Rem99_1550: Remillard, R. A., McClintock, J. E., Sobczak, G. J., Bailyn, C. D., Orosz, J. A., Morgan, E. H., & Levine, A. M. 1999, *ApJL*, 517, L127
- Rem99_1630: Remillard, R., & Morgan, E. 1999, *BAAS*, 31, 1421
- Rem99_1655: Remillard, R. A., Morgan, E. M., McClintock, J. E., Bailyn, C. D., & Orosz, J. A. 1999, *ApJ*, 522, 397
- Rem99_1716: Remillard, R. A. 1999, *Mem. Soc. Astron. Ital.*, 70, 881 (astro-ph 9805224)
- Rev98_1755: Revnivtsev, M., Gilfanov M., & Churazov, E. 1998, *A&A*, 339, 483. See also *Astron. Letters* 25, 493 and *ApJ*, 511, 847
- Rev99_0421: Revnivtsev, M. G., Emel'yanov, A. N., & Borozdin, K. N. 1999, *Astron. Letters*, 25, 294
- Rev99_1748: Revnivtsev, M. G., Trudolyubov, S. P., & Borozdin, K. N., 2000, *MNRAS*, 312, 151
- Rev99_1803: Revnivtsev, M., Borozdin, K., Emelyanov, A. 1999, *A&A*, 344 L25
- Rev00_1354: Revnivtsev, M., Borozdin, K., Priedhorsky, W. & Vikhlinin, A. 2000, *ApJ* 530, 955
- Rey96_2030: Reynolds, A. P., Parmar, A. N., Stollberg, M. T., Verbunt, F., Roche, P., Wilson, R. B., Finger, M. H. 1996, *A&A*, 312, 872
- Roc98_1808: Roche, P., Chakrabarty, D., Morales-Rueda, L., Hynes, R., Slivan, S. M., Simpson, C., & Hewett, P. 1998, *IAUC* 6885
- Rut98_1550: Rutledge, R., Fox, D., & Smith, D. A. 1998, *Astr. Tel.* 36
- Rut99_1608: Rutledge, R. E., Bildsten, L., Brown, E. F., Pavlov, G. G., & Zavlin, V. E. 1999, *ApJ*, 514, 945
- San99_0115: Santangelo, A., et al. 1999, *ApJL*, 523, L85
- San99_1550: Sanchez-Fernandez, C., et al. 1999, *A&A*, 348, L9
- Sha98_1908: Shahbaz, T., Bandyopadhyay, R. M., Charles, P. A., Wagner, R. M., Muhli, P., Hakala, P., Casares, J., & Greenhill, J. 1998, *MNRAS*, 300, 1035
- Sha99_1655: Shabaz, T., van der Hooft, F., Casares, J., Charles, P. A., & van Paradijs, J. 1999 *MNRAS*, 306, 89
- Smi97_1731: Smith, D. A., Morgan, E. H., & Bradt, H. 1997, *ApJL*, 479, L137
- Smi97_1758: Smith, D. M., Heindl, W. A., Swank, J., Leventhal, M., Mirabel, I. F., & Rodriguez, L. F. 1997, *ApJL*, 489, L51
- Smi98_1550: Smith, D. A. 1998, *IAUC* 7008
- Smi98_1748: Smith, D.A., Levine, A., & Wood, A. 1998 *IAUC* 6932
- Smi98_1946: Smith, D. A., & Takeshima, T. 1998 *IAUC* 7014
- Smi99_1819: Smith, D.A., Levine, A. M., & Morgan, E. H. 1999, *IAUC* 7253
- Smi99_0421: Smith, D., Remillard, R., Swank, J., Takeshima, T., & Smith, E. 1998, *IAUC* 6855
- Sob99_1550: Sobczak, G. J., McClintock, J. E., Remillard, R. A., Levine, A. M., Morgan, E. H., Bailyn, C. D., & Orosz, J. E. 1999, *ApJL*, 517, L121
- Sob99_1655: Sobczak, G. J., McClintock, J. E., Remillard, R. A., Bailyn, C. D., & Orosz, J. A. 1999, *ApJ*, 520, 776
- Sof98_1845: Soffitta, P., et al. 1998, *ApJL*, 494, L203
- Sor99_2123: Soria, R., Wu, K., & Galloway, D. 1999, *MNRAS*, 309, 528
- Ste97_1145–619: Stevens, J. B., Reig, P., Coe, M. J., Buckley, D. A. H., Fabregat, J., & Steele, I. A. 1997, *MNRAS*, 288, 988
- Sto99_2030: Stollberg, Mark T., Finger, Mark H., Wilson, R. B., Scott, D. M., Crary, D. J., & Paciesas, W. S. 1999, *ApJ*, 512, 313
- Stu99_1819: Stubbings, R., & Pearce, A. 1999, *IAUC* 7253
- Tak97_1843: Takeshima, T. 1997, *IAUC* 6595
- Tak98_1858: Takeshima, T. Corbet, R., Marshall, F., Swank, J., & Chakrabarty, D. 1998, *IAUC* 68
- Tin95_1655: Tingay, S. J., et al. 1995, *Nature*, 374, 141
- Tom99_1655: Tomsick, J. A., Kaaret, P., Kroeger R. A., & Remillard, R. A. 1999, *ApJ*, 512, 892
- Tom99_2123: Tomsick, J. A., Halpern, J., Kemp, J., & Kaaret, P. 1999, *ApJ*, 521, 341
- Tru99_1737: Trudolyubov, S., et al. 1999, *A&A*, 342, 496; see also *IAUC* 6599
-

Table 2. (continued) Notes and References for ASM Transients

Ube97_1826: Ubertini, P., Bazzano, A., Cocchi, M., Natalucci, L., Heise, J., Muller, J. M., & In 't Zand, J. J. M. 1999, ApJL, 514, L27	Wij98a_1808: Wijnand, R., & van der Klis, M. 1998, Nature 294, 344
Ued97_1737: Ueda et al. 1997, IAUC 6627	Wij98b_1808: Wijnands, R., & van der Klis, M. 1998, ApJL, 507, L63
Ued98_0421: Ueda, Y., Ishida, M., Inoue, H., Dotani, T., Greiner, J., & Lewin, W. H. G.. 1998, ApJ, 508, L167	Wij99_1803: Wijnands, R., van der Klis, M. 1999, ApJ, 522, 965
Uem99_1859+226: Uemura, Kato, T., Pavlenko, E., Shugarov, S., & Mitskevich, M., 1999 IAUC 7303	Wij99_1819: Wijnands, R., & van der Klis, M. 2000, ApJL, 528, L93
Ung99_0115: Unger, S. J. Roche, P., Negueruela, I., Ringwald, F. A, Lloyd, C., & Coe, M. J., et al. 1998, A&A, 336, 960	Wil97_1843: Wilson, R., Harmon, B., Scott, D., Finger, M., Robinsin, C., Chakrabarty, D., & Prince, T. A. 1997, IAUC 6586
Var97_1739–278: Vargas, M., et al. 1997, ApJL, 476, L23	Wil98_0111: Wilson, C. A., & Finger, M. H. 1998, IAUC 7048
vdK00_1808: van der Klis, M., Chakrabarty, D., Lee, J. C., Morgan, E. H., Wijnands, R., Markwardt, C. B., & Swank, J. H. 2000, IAUC 7358	Wil98_1550: Wilson, C. A., Harmon, B. A., Paciasas, W. S., & McCollough, M. L. 1998, IAUC 7010
VaP96_1908: vanParadijs, J. 1996, ApJL, 464, L1	Wil99_2138: Wilson, C. A., Finger, M. H., & Scott, D. M. 1999, ApJ, 511, 367
Vau98_1808: Vaughan, B. A., et al. 1998, ApJL, 509, L145; also ApJL, 483, L115	Woo99_1859+226: Wood, A., Smith, D. A., Marshall, F. E., & Swank, J. 1999, IAUC 7274
Wac00_1808: Wachter, S., & Hoard, D. W. 1998, IAUC 7363	Woo99_1744: Woods, P. M., et al. 1999, ApJ, 517, 431
Wag99_0421: Wagner, R.M., & Starrfield, S.G. 1999, IAUC 6857	Yu97_1608: Yu, W., et al. 1997, ApJL, 490, L153
Wen99_1716: Wen, L., Levine, A., & Bradt, H. 1999, BAAS 31, 1427	Yu99_1908: Yu, W., Li, P., Zhang, W., & Zhang. S. N. 1999, ApJL, 512, L35
Whi98_2012: White, N. E., Ueda, Y., Dotani, T., & Nagase, F. 1998, IAUC 6927	Zha96_1608: Zhang, S. N., et al. 1996 A&A Suppl. Ser., 120, 279
Wij97_1731: Wijnands, R. A. D., & van der Klis, M. 1997, ApJL, 482, L65	Zha96_1744: Zhang, W., Morgan, E. H., Jahoda, K., Swank, J. H., Strohmayer, T. E., Jernigan, J. G., & Klein, R. I. 1996 ApJL, 469, L2




FIGURE 1. RXTE/ASM light curves for six neutron-star binary-system transients for the period early January 1996 through mid August 1999. The data points represent 1-day averages of the 10 – 20 (typical) daily measurements in the 1.5–12 keV band. 75 ct/s corresponds to 1.0 Crab. MJD 50082 = 1996 Jan. 0.0.




FIGURE 2. RXTE/ASM light curves for six black-hole binary-system transients. GX 339-4 shows a transient bright soft state; it is not listed as a transient in Table 1. See also caption to Fig. 1.